


# AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims

1. Canceled.
2. (Currently Amended) A compound as illustrated by Formula II:



II

wherein:

----- represents an optional double bond;

X is C, N, S(O)<sub>m</sub> or O;

G is H<sub>2</sub> or O;

R<sup>a</sup> is independently selected from:

- 1) H,
- 2) C<sub>1</sub>-C<sub>6</sub> alkyl,
- 3) Halogen,
- 4) Aryl,
- 5) Heterocycle,
- 6) C<sub>3</sub>-C<sub>10</sub> cycloalkyl, and
- 7) OR<sup>4</sup>;

said alkyl, aryl, heterocycle and cycloalkyl is optionally substituted with at least one substituent selected from R<sup>7</sup>;

R<sup>1</sup> is independently selected from:

(CR<sup>a2</sup>)<sub>n</sub>R<sup>6</sup>,  
(CR<sup>a2</sup>)<sub>n</sub>C(O)R<sup>4</sup>,  
C(O)N(R<sup>4</sup>)<sub>2</sub>,  
(CR<sup>a2</sup>)<sub>n</sub>OR<sup>4</sup>,  
(CR<sup>a2</sup>)<sub>n</sub>N(R<sup>4</sup>)<sub>2</sub>,  
S(O)<sub>m</sub>R<sup>6</sup>,  
S(O)<sub>m</sub>R<sup>6</sup>OR<sup>4</sup>,  
C(O)N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>R<sup>6</sup>,  
C(O)N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>OR<sup>4</sup>,  
C(O)R<sup>6</sup>(CR<sup>a2</sup>)<sub>n</sub>R<sup>6</sup>,  
C(O)N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>S(O)<sub>m</sub>(CR<sup>a2</sup>)<sub>n</sub>R<sup>6</sup>,  
C(O)N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>C(O)R<sup>6</sup>,  
C(O)N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>N(R<sup>4</sup>)<sub>2</sub>,  
Halogen,  
N(R<sup>4</sup>)S(O)<sub>m</sub>R<sup>6</sup>,  
(CR<sup>a2</sup>)<sub>n</sub>C(O)OR<sup>4</sup>, and  
R<sup>6</sup>C(O)OR;

R<sup>2</sup> is: NH<sub>2</sub>;

R<sup>4</sup> is independently selected from:

- 1) H,
- 2) C<sub>1</sub>-C<sub>6</sub> alkyl,
- 3) C<sub>3</sub>-C<sub>10</sub> cycloalkyl,
- 4) Aryl,
- 5) Heterocycle,
- 6) CF<sub>3</sub>,
- 7) C<sub>2</sub>-C<sub>6</sub> alkenyl, and
- 8) C<sub>2</sub>-C<sub>6</sub> alkynyl;

said alkyl, cycloalkyl, aryl, heterocycle, alkenyl and alkynyl is optionally substituted with at least one substituent selected from R<sup>7</sup>;

R<sup>5</sup> is independently selected from:

- 1) H,
- 2) Halogen,
- 3) NO<sub>2</sub>,
- 4) CN,
- 5) CR<sup>4</sup>=C(R<sup>4</sup>)<sub>2</sub>,
- 6) C≡CR<sup>4</sup>,
- 7) (CR<sup>a2</sup>)<sub>n</sub>OR<sup>4</sup>,
- 8) (CR<sup>a2</sup>)<sub>n</sub>N(R<sup>4</sup>)<sub>2</sub>,
- 9) C(O)R<sup>4</sup>,
- 10) C(O)OR<sup>4</sup>,
- 11) (CR<sup>a2</sup>)<sub>n</sub>R<sup>4</sup>,
- 12) S(O)<sub>m</sub>R<sup>6</sup>,
- 13) S(O)<sub>m</sub>N(R<sup>4</sup>)<sub>2</sub>,
- 14) OS(O)<sub>m</sub>R<sup>6</sup>,
- 15) N(R<sup>4</sup>)C(O)R<sup>4</sup>,
- 16) N(R<sup>4</sup>)S(O)<sub>m</sub>R<sup>6</sup>,
- 17) (CR<sup>a2</sup>)<sub>n</sub>N(R<sup>4</sup>)R<sup>6</sup>,
- 18) (CR<sup>a2</sup>)<sub>n</sub>N(R<sup>4</sup>)R<sup>6</sup>OR<sup>4</sup>,
- 19) (CR<sup>a2</sup>)<sub>n</sub>N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>C(O)N(R<sup>4</sup>)<sub>2</sub>,
- 20) N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>R<sup>6</sup>,
- 21) N(R<sup>4</sup>)(CR<sup>a2</sup>)<sub>n</sub>N(R<sup>4</sup>)<sub>2</sub>, and
- 22) (CR<sup>a2</sup>)<sub>n</sub>C(O)N(R<sup>4</sup>)<sub>2</sub>;

R<sup>6</sup> is independently selected from:

- 1) C<sub>1</sub>-C<sub>6</sub> alkyl,
- 2) Aryl,
- 3) Heterocycle, and
- 4) C<sub>3</sub>-C<sub>10</sub> cycloalkyl;

said alkyl, aryl, heterocycle and cycloalkyl is optionally substituted with at least one substituent of R<sup>7</sup>;

R<sup>7</sup> is independently selected from:

- 1) Unsubstituted or substituted C<sub>1</sub>-C<sub>6</sub> alkyl,
- 2) Halogen,
- 3) OR<sup>4</sup>,
- 4) CF<sub>3</sub>,

- 5) Unsubstituted or substituted aryl,
- 6) Unsubstituted or substituted C<sub>3</sub>-C<sub>10</sub> cycloalkyl,
- 7) Unsubstituted or substituted heterocycle,
- 8) S(O)<sub>m</sub>N(R<sup>4</sup>)<sub>2</sub>,
- 9) C(O)OR<sup>4</sup>,
- 10) C(O)R<sup>4</sup>,
- 11) CN,
- 12) C(O)N(R<sup>4</sup>)<sub>2</sub>,
- 13) N(R<sup>4</sup>)C(O)R<sup>4</sup>,
- 14) S(O)<sub>m</sub>R<sup>6</sup>, and
- 15) NO<sub>2</sub>;

m is independently 0, 1 or 2;

n is independently 0, 1, 2, 3, 4, 5 or 6;

s is 0 to 6;

t is 0, 1, or 2;

v is 0, 1 or 2;

w is 0, 1, 2, 3, or 4;

or a pharmaceutically acceptable salt or stereoisomer thereof.

3. (Previously Presented) The compound according to Claim 2 wherein:

R<sup>a</sup> is independently selected from:

- 1) H,
- 2) C<sub>1</sub>-C<sub>6</sub> alkyl,
- 3) Aryl, and
- 4) C<sub>3</sub>-C<sub>10</sub> cycloalkyl;

said alkyl, aryl, and cycloalkyl is optionally substituted with at least one substituent selected from R<sup>7</sup>;

R<sup>1</sup> is independently selected from:

- (CR<sup>a</sup>)<sub>n</sub>R<sup>6</sup>,  
(CR<sup>a</sup>)<sub>n</sub>C(O)R<sup>4</sup>,  
C(O)N(R<sup>4</sup>)<sub>2</sub>,

$(CR^{a_2})_nOR^4$ ,  
 $(CR^{a_2})_nN(R^4)_2$ ,  
 $S(O)_mR^6$ ,  
 $S(O)_mR^6OR^4$ ,  
 $C(O)N(R^4)(CR^{a_2})_nR^6$ ,  
 $C(O)N(R^4)(CR^{a_2})_nOR^4$ ,  
 $N(R^4)S(O)_mR^6$ ,  
 $(CR^{a_2})_nC(O)OR^4$ , and  
 $R^6C(O)OR$ ;

$R^2$  is:  $NH_2$ ;

$s$  is 0 to 3;

or a pharmaceutically acceptable salt or stereoisomer thereof.

4. (Previously Presented) The compound according to Claim 3 wherein:

$R^1$  is independently selected from:

$(CR^{a_2})_nR^6$ ,  
 $(CR^{a_2})_nC(O)R^4$ ,  
 $C(O)N(R^4)_2$ ,  
 $(CR^{a_2})_nOR^4$ ,  
 $(CR^{a_2})_nN(R^4)_2$ ,  
 $S(O)_mR^6$ , and  
 $S(O)_mR^6OR^4$ ;

or a pharmaceutically acceptable salt or stereoisomer thereof.

5. (Original) A compound selected from:

5-Chloro-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Iodo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Methoxy-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

6-Methoxy-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-(Methylsulfonyl)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

7-Amino-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-nitro-1*H*-indole-2-carboxamide;

5-Chloro-3-(piperazin-1-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-[(4-Benzylpiperazin-1-yl)sulfonyl]-5-chloro-1*H*-indole-2-carboxamide;

3-[(4-Acetylpiperazin-1-yl)sulfonyl]-5-chloro-1*H*-indole-2-carboxamide;

5-Chloro-3-(piperidin-1-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Chloro-3-(pyrrolidin-1-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Chloro-3-(thiomorpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Azetidin-1-ylsulfonyl)-5-chloro-1*H*-indole-2-carboxamide;

5-Chloro-3-[(oxidothiomorpholin-4-yl)sulfonyl]-1*H*-indole-2-carboxamide;

5-Chloro-3-[(1,1-dioxidothiomorpholin-4-yl)sulfonyl]-1*H*-indole-2-carboxamide;

*cis*-5-Chloro-3-(2,6-dimethylmorpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

*trans*-5-Chloro-3-(2,6-dimethylmorpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Chloro-3-[(3-hydroxyazetidin-1-yl)sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Chloro-3-{{2-(phenoxymethyl)morpholin-4-yl}sulfonyl}-1*H*-indole-2-carboxamide;

(*S*)-5-Chloro-3-{{2-(phenoxymethyl)morpholin-4-yl}sulfonyl}-1*H*-indole-2-carboxamide;

(*R*)-5-Chloro-3-{{2-(phenoxymethyl)morpholin-4-yl}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-({4-[2-(dimethylamino)ethyl]-5-oxo-1,4-diazepan-1-yl}sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-({5-oxo-1,4-diazepan-1-yl}sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-[(3-oxopiperazin-1-yl)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(3-hydroxyazetidin-1-yl)sulfonyl]-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-{{2-(aminocarbonyl)morpholin-4-yl}sulfonyl}-1*H*-indole-2-carboxamide;

3-(Azetidin-1-ylsulfonyl)-5-bromo-1*H*-indole-2-carboxamide;

5-Bromo-3-({4-[(4-methoxyphenyl)sulfonyl]piperazin-1-yl}sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-({4-[(4-bromophenyl)sulfonyl]piperazin-1-yl}sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-{{4-(3-morpholin-4-ylpropyl)-3-oxopiperazin-1-yl}sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-({4-[3-(dimethylamino)propyl]-3-oxopiperazin-1-yl}sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-(2,5-dihydroxy-1*H*-pyrrol-1-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-(6-oxa-3-azabicyclo[3.1.0]hex-3-ylsulfonyl)-1*H*-indole-2-carboxamide;

(±)-5-Bromo-3-{{2-(phenoxymethyl)morpholino-4-yl}sulfonyl}-1*H*-indole-2-carboxamide;

(*S*)-5-Bromo-3-{{2-(phenoxymethyl)morpholino-4-yl}sulfonyl}-1*H*-indole-2-carboxamide;

(*R*)-5-Bromo-3-{{2-(phenoxymethyl)morpholino-4-yl}sulfonyl}-1*H*-indole-2-carboxamide;

6-Hydroxy-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-(2-Furyl)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-(phenylethynyl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-(2-phenylethyl)-1*H*-indole-2-carboxamide;

5-Hex-1-ynyl-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Hexyl-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

Methyl 2-(aminocarbonyl)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-5-carboxylate;

3-(Morpholin-4-ylsulfonyl)-5-vinyl-1*H*-indole-2-carboxamide;

5-Hydroxy-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Ethoxy-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-propoxy-1*H*-indole-2-carboxamide;

5-Isopropoxy-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Ethyl-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;



- 2-(Aminocarbonyl)-3-(morpholin-4-ylsulfonyl)-1*H*-indol-5-yl methanesulfonate;
- 3-(Morpholin-4-ylsulfonyl)-5-prop-1-ynyl-1*H*-indole-2-carboxamide;
- 3-(Morpholin-4-ylsulfonyl)-5-thien-2-yl-1*H*-indole-2-carboxamide;
- 3-(Azetidin-1-ylsulfonyl)-5-methoxy-1*H*-indole-2-carboxamide;
- 5-Formyl-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 5-Methyl-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 7-(Acetylamino)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 7-[(Methylsulfonyl)amino]-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 5-[[ (4-Methoxyphenyl)amino]methyl]-3-morpholino-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 5-[[ (2-Acetamide)amino]methyl]-3-morpholino-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 3-(Morpholino-4-ylsulfonyl)-5-phenyl-1*H*-indole-2-carboxamide;
- 3-(Morpholino-4-ylsulfonyl)-5-pyrazin-2-yl-1*H*-indole-2-carboxamide;
- 3-(Morpholino-4-ylsulfonyl)-5-pyridin-2-yl-1*H*-indole-2-carboxamide;
- 3-(Morpholino-4-ylsulfonyl)-5-pyridin-4-yl-1*H*-indole-2-carboxamide;
- 5-(1-Benzofuran-2-yl)-3-(morpholino-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 5-(5-Methyl-2-furyl)-3-(morpholino-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 5-(3,5-Dimethylisoxazole-4-yl)-3-(morpholino-4-ylsulfonyl)-1*H*-indole-2-carboxamide;
- 3-(Morpholin-4-ylsulfonyl)-5-(1*H*-pyrrol-2-yl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-pyridin-3-yl-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-(1,3-thiazol-2-yl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-thien-3-yl-1*H*-indole-2-carboxamide;

5-(1-Benzothien-3-yl)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Azetidin-1-yl)sulfonyl)-5-iodo-1*H*-indole-2-carboxamide;

3-[(3-Hydroxyazetidin-1-yl)sulfonyl]-5-iodo-1*H*-indole-2-carboxamide;

(±)-5-Iodo-3-{[2-(phenoxymethyl)morpholino-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

(*S*)-5-Iodo-3-{[2-(phenoxymethyl)morpholino-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

(*R*)-5-Iodo-3-{[2-(phenoxymethyl)morpholino-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

7-Amino-6-bromo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

7-Amino-4,6-dibromo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

6-Bromo-7-(dimethylamino)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-7-[(pyridin-4-ylmethyl)amino]-1*H*-indole-2-carboxamide;

7-{[(2-Chloropyridin-4-yl)methyl]amino}-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

7-Nitro-3-{[(2*S*)-2-(phenoxymethyl)morpholino-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

7-Amino-3-{{[(2*S*)-2-(phoxymethyl)morpholin-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

3-{{[(2*S*)-2-(Phoxymethyl)morpholin-4-yl]sulfonyl}-7-[(pyridin-4-ylmethyl)amino]-1*H*-indole-2-carboxamide;

7-(Benzylamino)-3-{{[(2*S*)-2-(phoxymethyl)morpholin-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

7-Chloro-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

6-Bromo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

7-Bromo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

7-Cyano-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

(±)-7-(Methylsulfinyl)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

7-Aminomethyl-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Amino-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

(*S*)-5-Fluoro-3-{{[2-(phoxymethyl)morpholino-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

(*R*)-5-Fluoro-3-{{[2-(phoxymethyl)morpholin-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

5-Acetylamino-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-[(Methylsulfonyl)amino]-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

3-(Morpholin-4-ylsulfonyl)-5-[(trifluoroacetyl)amino]-1*H*-indole-2-carboxamide;

5-[(2-Aminoethyl)amino]-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-(Dimethylamino)-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

4,5-Dibromo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5,6-Dibromo-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-4-nitro-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-6-nitro-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-6-amino-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-4-amino-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide;

(*S*)-3-{[2-(Phenoxymethyl)morpholino-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-({2-[(cyclohexylamino) carbonyl]morpholin-4-yl}sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-({2-[(2,3-dihydro-1*H*-inden-1-ylamino)carbonyl] morpholin-4-yl} sulfonyl)-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-{[(2-phenylethyl)amino]carbonyl}morpholin-4-yl)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-{[(3-phenylpropyl)amino]carbonyl}morpholin-4-yl)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-{[(3,3-diphenylpropyl)amino]carbonyl}morpholin-4-yl)sulfonyl]-1*H*-indole-2-carboxamide;

5-Bromo-3-{[2-(3,4-dihydroisoquinolin-2(1*H*)-ylcarbonyl)morpholin-4-yl]sulfonyl}-1*H*-indole-2-carboxamide;

5-Bromo-3-[(2-{[(2-phenoxyethyl)amino]carbonyl}morpholin-4-yl)sulfonyl]-1*H*-indole-2-carboxamide;

3-({2-[(3-Benzylpyrrolidin-1-yl)carbonyl]morpholin-4-yl}sulfonyl)-5-bromo-1H-indole-2-carboxamide;

5-Bromo-3-[(2-({[(1,2,3,4-tetrahydronaphthalen-2-ylmethyl)amino]carbonyl}morpholin-4-yl)sulfonyl)-1H-indole-2-carboxamide];

3-({2-[(Benzylamino)carbonyl]morpholin-4-yl}sulfonyl)-5-bromo-1H-indole-2-carboxamide;

5-Bromo-3-{{2-({[3-(trifluoromethyl)benzyl]amino}carbonyl)morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Bromo-3-[(2-({[(2,2-diphenylethyl)amino]carbonyl}morpholin-4-yl)sulfonyl)-1H-indole-2-carboxamide];

5-Bromo-3-({2-[(2,3-dihydro-1H-inden-2-ylamino)carbonyl]morpholin-4-yl}sulfonyl)-1H-indole-2-carboxamide;

7-{{2-[(Aminocarbonyl)-5-bromo-1H-indol-3-yl}sulfonyl}-2-benzyl-7-aza-2-azoniaspiro[4.4]nonane;

5-Bromo-3-{{2-({[(5-methylpyrazin-2-yl)methyl]amino}carbonyl)morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

3-({[(4-{{2-[(Aminocarbonyl)-5-bromo-1H-indol-3-yl}sulfonyl}morpholin-2-yl)carbonyl]amino}methyl)pyridine;

5-Bromo-3-[(2-({[(1-phenylethyl)amino]carbonyl}morpholin-4-yl)sulfonyl)-1H-indole-2-carboxamide];

1-(3-{{(4-{{2-[(Aminocarbonyl)-5-bromo-1H-indol-3-yl}sulfonyl}morpholin-2-yl)carbonyl]amino}propyl)-1H-imidazole;

5-Bromo-3-{{2-({[(1R)-1-phenylethyl]amino}carbonyl)morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{(2-phenylpropyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

3-[(2-{{Benzyl(methyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-5-bromo-1H-indole-2-carboxamide;

1-[(4-{{2-(Aminocarbonyl)-5-bromo-1H-indol-3-yl}sulfonyl}morpholin-2-yl)carbonyl]-4-benzylpiperazine;

2-({[(4-{{2-(Aminocarbonyl)-5-bromo-1H-indol-3-yl}sulfonyl}morpholin-2-yl)carbonyl]amino}methyl)pyridine;

5-Bromo-3-{{2-({[2-(tert-butylthio)ethyl]amino}carbonyl)morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

3-{{2-[(Benzhydrylamino)carbonyl]morpholin-4-yl}sulfonyl}-5-bromo-1H-indole-2-carboxamide;

5-Bromo-3-{{2-({[(2S)-2-phenylcyclopropyl]amino}carbonyl)morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Bromo-3-{{2-[(3-phenylpyrrolidin-1-yl)carbonyl]morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Bromo-3-{{2-[(4,4-diphenylpiperidin-1-yl)carbonyl]morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{(2,3-dihydro-1H-inden-2-ylmethyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-{{2-[(2,3-dihydro-1H-inden-1-ylamino)carbonyl]morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Bromo-3-{{2-[(2,3-dihydro-1H-inden-1-ylamino)carbonyl]morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Bromo-3-({2-[(3-pyridin-4-ylpyrrolidin-1-yl)carbonyl]morpholin-4-yl}sulfonyl)-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-hydroxy-2,3-dihydro-1H-inden-1-yl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-({2-[(4-hydroxy-4-phenylpiperidin-1-yl)carbonyl]morpholin-4-yl}sulfonyl)-1H-indole-2-carboxamide;

3-{[2-(Anilinocarbonyl)morpholin-4-yl}sulfonyl}-5-bromo-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-oxo-2-phenylethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-({2-[(neopentylamino)carbonyl]morpholin-4-yl}sulfonyl)-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(1,2-diphenylethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-chlorophenyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-phenoxyphenyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(4-tert-butylphenyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-{[2-({[3-(2-oxopyrrolidin-1-yl)propyl]amino}carbonyl)morpholin-4-yl}sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(3-isopropoxypropyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(3-ethoxypropyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-cyclohex-1-en-1-ylethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(2,2,3,3,4,4,4-heptafluorobutyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(3-isobutoxypropyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(3-butoxypropyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-thien-2-ylethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

2-([(4-([2-(Aminocarbonyl)-5-bromo-1H-indol-3-yl)sulfonyl)morpholin-2-yl)carbonyl]amino)methyl)-1H-benzimidazole;

3-([2-(Azepan-1-ylcarbonyl)morpholin-4-yl)sulfonyl]-5-bromo-1H-indole-2-carboxamide;

5-Bromo-3-({2-[(2-[(2,6-dichlorobenzyl)thio]ethyl)amino]carbonyl)morpholin-4-yl}sulfonyl)-1H-indole-2-carboxamide;

3-([2-([4-(Aminosulfonyl)benzyl]amino)carbonyl)morpholin-4-yl)sulfonyl]-5-bromo-1H-indole-2-carboxamide;

5-Bromo-3-([2-(thiomorpholin-4-ylcarbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-methoxyethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-[(2-methoxy-1-methylethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;



5-Bromo-3-[(2-{{(1-ethylpropyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-{[2-({[6-(dimethylamino)hexyl]amino}carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{(tetrahydrofuran-2-ylmethyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{(1-phenylcyclopropyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-{[2-({[phenyl(pyridin-4-yl)methyl]amino}carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{(dicyclopropylmethyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{(1,4-dioxan-2-ylmethyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-{[2-({methyl[2-(4-methylphenoxy)ethyl]amino}carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-{[2-({[(1,1-dioxidotetrahydrothien-3-yl)methyl]amino}carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{[2-(2-phenylethyl)pyrrolidin-1-yl]carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-{{(2-cyclohexylethyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

4-({[4-{{[2-(Aminocarbonyl)-5-bromo-1H-indol-3-yl]sulfonyl}morpholin-2-yl}carbonyl]amino}methyl)-1-methyl-1H-imidazole;

5-Bromo-3-[(2-([(1,1-dioxidotetrahydrothien-3-yl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-([(1-naphthylmethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

5-Bromo-3-[(2-([(imidazo[2,1-b][1,3]thiazol-6-ylmethyl)amino]carbonyl)morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide;

3-[(2-([2-(1,3-Benzothiazol-2-yl)pyrrolidin-1-yl]carbonyl)morpholin-4-yl)sulfonyl]-5-bromo-1H-indole-2-carboxamide;

5-Chloro-3-({2-[(2-ethoxyphenoxy)methyl]morpholin-4-yl}sulfonyl)-1H-indole-2-carboxamide;  
5-Chloro-3-[(1R,4R)-2-oxa-5-azabicyclo[2.2.1]hept-5-ylsulfonyl]-1H-indole-2-carboxamide;

7-{[2-(Aminocarbonyl)-5-chloro-1H-indol-3-yl]sulfonyl}-3-benzyl-9-thia-7-aza-3-azoniabicyclo[3.3.1]nonane;

5-Chloro-3-{[2-(1H-indol-4-yl)morpholin-4-yl]sulfonyl}-1H-indole-2-carboxamide;

5-Chloro-3-(2,3-dihydro-1,4-benzoxazepin-4(5H)-ylsulfonyl)-1H-indole-2-carboxamide;

3-[(Benzofuran-yl-1-oxa-8-azaspiro[4.5]dec-8-yl)sulfonyl]-5-chloro-1H-indole-2-carboxamide;

5-Chloro-3-{[4-fluoro-4-(3-phenylpropyl)piperidin-1-yl]sulfonyl}-1H-indole-2-carboxamide;

3-[(3-Benzyl-1-oxa-8-azaspiro[4.5]dec-8-yl)sulfonyl]-5-chloro-1H-indole-2-carboxamide;

3-({4-[(Benzyloxy)methyl]-4-phenylpiperidin-1-yl}sulfonyl)-5-chloro-1H-indole-2-carboxamide;

5-Chloro-3-{[4-hydroxy-4-(3-phenylpropyl)piperidin-1-yl]sulfonyl}-1H-indole-2-carboxamide;

7-{[2-(Aminocarbonyl)-5-chloro-1H-indol-3-yl]sulfonyl}-2-(4-chlorophenyl)-7-aza-2-azoniaspiro[4.4]nonane;

3-(1-{{2-(Aminocarbonyl)-5-chloro-1H-indol-3-yl}sulfonyl}piperidin-3-yl)-4-methyl-4H-1,2,4-triazole;

5-Chloro-3-{{3-(2-phenylethyl)piperidin-1-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Chloro-3-{{3-(2-phenylethyl)pyrrolidin-1-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Chloro-3-{{4-(cyclopropyl{{3-(trifluoromethyl)phenyl}sulfonyl}amino)piperidin-1-yl}sulfonyl}-1H-indole-2-carboxamide;

5-Chloro-3-{{2-{{(4-chlorophenoxy)methyl}morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;

Tert-butyl (1-{{2-(aminocarbonyl)-5-chloro-1H-indol-3-yl}sulfonyl}piperidin-3-yl)acetate;

3-{{3-Benzylpiperidin-1-yl}sulfonyl}-5-chloro-1H-indole-2-carboxamide;

5-Chloro-3-{{3-(2-methylphenyl)piperidin-1-yl}sulfonyl}-1H-indole-2-carboxamide;

2-(1-{{2-(Aminocarbonyl)-5-chloro-1H-indol-3-yl}sulfonyl}piperidin-4-yl)-N,N-dimethylethanamine;

1-(1-{{2-(Aminocarbonyl)-5-chloro-1H-indol-3-yl}sulfonyl}piperidin-4-yl)-3-(ethoxycarbonyl)piperidine;

5-Bromo-3-{{3-(4-tert-butoxybenzyl)piperidin-1-yl}sulfonyl}-1H-indole-2-carboxamide;


5-Bromo-3-{{4-(3-phenylpropyl)piperidin-1-yl}sulfonyl}-1H-indole-2-carboxamide; and

5-Bromo-N-methoxy-N-methyl-3-{{2-(phenoxymethyl)morpholin-4-yl}sulfonyl}-1H-indole-2-carboxamide;


or a pharmaceutically acceptable salt or stereoisomer thereof.

6. (Original) The compound according Claim 5 that is selected from


3-(Morpholin-4-ylsulfonyl)-5-(1,3-thiazol-2-yl)-1*H*-indole-2-carboxamide




(*S*)-5-Iodo-3- {[2-(phenoxymethyl)morpholino-4-yl]sulfonyl}-1*H*-indole-2-carboxamide




5-Bromo-6-amino-3-(morpholin-4-ylsulfonyl)-1*H*-indole-2-carboxamide




5-bromo-3-({2-[(2,3-dihydro-1*H*-inden-2-ylamino)carbonyl]morpholin-4-yl} sulfonyl)-1*H*-indole-2-carboxamide



5-bromo-3-{[2-({[2-(tert-butylthio)ethyl]amino}carbonyl)morpholin-4-yl]sulfonyl}-1H-indole-2-carboxamide



5-bromo-3-[(2-{{(1-naphthylmethyl)amino}carbonyl}morpholin-4-yl)sulfonyl]-1H-indole-2-carboxamide



or a pharmaceutically acceptable salt or stereoisomer thereof.

7. (Previously Presented) A pharmaceutical composition which is comprised of a compound in accordance with Claim 2 and a pharmaceutically acceptable carrier.

8-22. Cancelled.